

Message

From: McClure, Linda (IDEM) [lmcclure@idem.IN.gov]
Sent: 2/12/2018 12:21:16 PM
To: Krueger, Thomas [krueger.thomas@epa.gov]
CC: Dixit, Naeha [dixit.naeha@epa.gov]; Mendez, Thomas [mendez.thomas@epa.gov]; Riley, Ellen [riley.ellen@epa.gov]; Alberts, Sierra [SAlberts@idem.IN.gov]; Higginbotham, Paul [PHIGGINB@idem.IN.gov]
Subject: ArcelorMittal Adopted AO
Attachments: ArcelorMittal IN Harbor LLC Adopted AO 2 9 2018.pdf

Hi Tom,

I have attached the adopted AO for ArcelorMittal.

Thanks,

Linda L. McClure
Senior Environmental Manager
Indiana Department of Environmental Management
Office of Water Quality - Enforcement Section
100 North Senate Avenue
IGCN 1255, MC-60-02W
Indianapolis, Indiana 46204
Tele: 317.234.4354
lmcclure@idem.in.gov

From: Krueger, Thomas [mailto:krueger.thomas@epa.gov]
Sent: Friday, February 09, 2018 17:05
To: Higginbotham, Paul <PHIGGINB@idem.IN.gov>
Cc: Dixit, Naeha <dixit.naeha@epa.gov>; Mendez, Thomas <mendez.thomas@epa.gov>; Riley, Ellen <riley.ellen@epa.gov>; McClure, Linda (IDEM) <lmcclure@idem.IN.gov>; Alberts, Sierra <SAlberts@idem.IN.gov>
Subject: Re: Arcelor Clean Copy after Review by SA and BW

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Thanks for the update. Any chance we could see the current version? Do you know anything about the current status of outfalls 009 and 010?

From: Higginbotham, Paul <PHIGGINB@idem.IN.gov>
Sent: Friday, February 9, 2018 8:36:28 AM
To: Krueger, Thomas
Cc: Dixit, Naeha; Mendez, Thomas; Riley, Ellen; McClure, Linda (IDEM); Alberts, Sierra
Subject: Re: Arcelor Clean Copy after Review by SA and BW

Tom - Sorry that I forgot to let you know, but we did make some minor changes and AM has signed the AO and sent back to IDEM to adopt. I will have Linda send you guys a copy of the adopted AO.

Sent from my iPad

On Feb 8, 2018, at 1:37 PM, Krueger, Thomas <krueger.thomas@epa.gov> wrote:

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Paul,

Any further progress on this?

Tom Krueger

From: Krueger, Thomas

Sent: Monday, January 08, 2018 8:36 AM

To: 'Higginbotham, Paul' <PHIGGINB@idem.IN.gov>; Mendez, Thomas <mendez.thomas@epa.gov>

Cc: McClure, Linda (IDEM) <lmccclure@idem.IN.gov>; Alberts, Sierra <SAAlberts@idem.IN.gov>

Subject: RE: Arcelor Clean Copy after Review by SA and BW

Paul,

A few thoughts/suggestions. Thanks.

Tom Krueger

From: Higginbotham, Paul [<mailto:PHIGGINB@idem.IN.gov>]

Sent: Wednesday, December 27, 2017 8:58 AM

To: Krueger, Thomas <krueger.thomas@epa.gov>; Mendez, Thomas <mendez.thomas@epa.gov>

Cc: McClure, Linda (IDEM) <lmccclure@idem.IN.gov>; Alberts, Sierra <SAAlberts@idem.IN.gov>

Subject: FW: Arcelor Clean Copy after Review by SA and BW

Tom and Tom –

Please see the attached proposed AO that we would like to send to AM. This is just for outfall 001.

Thoughts?

Thanks.

<ARCELOR PAO DRAFT 12 18 17 LM SA and BW.EPA notes 1418.doc>